

EXPANDERS
ACCESSORIES
MISCELLANEOUS ITEMS

SCENE SHIFTERS

SERIES: ICSKATE

BRACKET: **FABRICATED**
BEARING: **PLAIN/BALL BEARING**



WHEELS

ICSKATE

SWIVEL

NYLON

ICS/50NB2LLNY	50	14		135x110	105x80	10	95	300
ICS/100DRHBH12NYBJ	100	35		135x110	105x80	13	163	460
ICS/125DRHBH12NYBJ	125	35		135x110	105x80	13	183	460

STEEL

ICS/50NB2LLST	50	14		135x110	105x80	10	95	300
---------------	----	----	--	---------	--------	----	----	-----

BLUE ELASTICATED

ICS/100DRHBH12BNB	100	36		135x110	105x80	13	163	460
ICS/125DRHBH12BNB	125	36		135x110	105x80	13	183	460

CAST IRON

ICS/100DRHBH12CIBJ	100	36		135x110	105x80	13	163	460
ICS/125DRHBH12CIBJ	125	38		135x110	105x80	13	183	460

POLY ALUMINIUM

ICS/100DRHBH12PTABJ	100	40		135x110	105x80	13	163	460
ICS/125DRHBH12PTABJ	125	40		135x110	105x80	13	183	460

POLY CAST IRON





ICS/35NBLL2PTBJ	35	28		85x85	55x55	10	85	300
ICS/50NB2LLPT	50	14		135x110	105x80	10	95	300
ICS/100DRHBH12PTBJ	100	38		135x110	105x80	13	163	460
ICS/125DRHBH12PTBJ	125	38		135x110	105x80	13	183	460

RUBBER CAST IRON

ICS/100DRHBH12RTBJ	100	36		135x110	105x80	13	163	460
ICS/125DRHBH12RTBJ	125	38		135x110	105x80	13	183	460



PLATE OPTIONS




PALLET ROLLERS



PALLET ROLLERS NYLON OR POLYURETHANE


Pallet Rollers are specifically designed as replacement pallet rollers on pallet trucks and fork lift trucks. With an extra wide tread and ball journal bearings these durable and robust hardworking pallet rollers can take loads of up to 950k.

With a variety of pallet roller wheel diameters to suit your requirements in either polyurethane or nylon.



NYLON


82x60WNYBJM	82	60		17/20/25	60	600
82x70WNYBJM	82	70		17/20/25	70	700
82x100WNYBJM	82	100		17/20/25	100	1000
85x60WNYBJ	85	60		17/20/25	60	600
85x70WNYBJ	85	70		17/20/25	70	700
85x90WNYBJ	85	90		17/20/25	90	900
85x100WNYBJ	85	100		17/20/25	100	1000



POLYURETHANE

Polyurethane on Nylon

82x70WPNBJ	82	70		17/20/25	70	500
82x100WPNBJ	82	100		17/20/25	100	850
85x90WPNBJ	85	90		17/20/25	90	750



POLYURETHANE

Polyurethane on Cast Iron

70x70WPTBJM	70	70		15	70	500
75x75WPTBJM	75	75		17/20/25	75	570
80x60WPTBJM	80	60		17/20/25	60	550
82x60WPTBJM	82	60		17/20/25	60	600
82x70WPTBJM	82	70		17/20/25	70	700
82x75WPTBJM	82	75		17/20/25	75	750
82x90WPTBJM	82	90		17/20/25	90	900
82x100WPTBJM	82	100		17/20/25	100	1000
85x60WPTBJM	85	60		17/20/25	60	700
85x70WPTBJM	85	70		17/20/25	70	700
85x75WPTBJM	85	75		17/20/25	75	750
85x80WPTBJM	85	80		17/20/25	80	800
85x90WPTBJM	85	90		17/20/25	90	900
85x100WPTBJM	85	100		17/20/25	100	1000

EXPANDERS & ACCESSORIES

EXPANDERS





ES Square Expander	INSIDE-TUBE MEASUREMENT	TUBE
ES21.5	19-21.5	SQUARE
ES24	21.5-24	SQUARE
ES27	24-27	SQUARE
ES30	27-30	SQUARE
ES35	32-35	SQUARE
ES40	36-40	SQUARE



ER Round Expander	INSIDE-TUBE MEASUREMENT	TUBE
ER21.5	19-21.5	ROUND
ER24	21.5-24	ROUND
ER27	24-27	ROUND
ER30	27-30	ROUND
ER35	32-35	ROUND
ER40	36-40	ROUND



ACCESSORIES



SPRING LOADED GATE CASTOR

SPECIAL PURPOSE CASTOR SPECIFICALLY DESIGNED TO HELP SUPPORT THE ENDS OF WIDE SWING GATES OR DOORS, HELPING REDUCE STRESSES AND STRAINS ON SUPPORTS AND HINGES, AND AID SMOOTHER OPERATION. THEY WILL PROVIDE UP TO 70KG OF SUPPORT AND CAN ACCOMMODATE A MAXIMUM OF 75MM/3" OF UPWARDS COMPRESSION/GROUND HEIGHT VARIATION.



KEY DIMENSIONS

Side Elevation

Fixing Plate

